

## **CORTROL 1.30.0 Release Notes**

April 14, 2025

A new major version is available for download.

New features:

- Added support for Satel INTEGRA access control systems
- Added support for RISCO fire alarm panels
- Renamed Access controls to Security systems and extended the related functionality to include security zones, partitions, and outputs
- Added a separate integration API for Security systems (access controls, fire alarm panels, intruder alert panels, etc.)
- Added security item markers onto maps
- Added configurable severity levels for security systems
- Added licensing for Security systems
- Added temporary permissions in Console
- Enabled Video sharing and Cloud Connector for the Global edition\*
- Added Health reporting based on critical audit events (audit reports)
- Added Hungarian (Hungary) language

Improvements:

- Added icon search by name/keyword for Console's Maps
- Added Watchdog settings related to Storage (restart service if there are no writable directories)
- Allowed media access for CrossLinks (microphone, camera, screen capture)
- Added new audit event 'Disk is available for writing'
- Added the ability to display all rules from all servers for the E&A configurator
- Optimized Client viewport performance for high FPS
- Improved fallback storage functionality: removed timeout settings (now the fallback triggers immediately without any timeout)

- Emergency abort eraser procedure when system time changes significantly (allows saving portions of the archive that the eraser has not yet deleted in case of the system time error)
- Optimized archive backup wizard by decreasing disk read operations
- Added audit events: video loss, video restored
- Added 'Archive eraser error' audit event
- Optimized RTSP core for camera drivers
- Added extended dialog when selecting folders in Portable Player
- Added right-click to copy a message from the Client's Alerts tab
- Added new map icon pack for security items
- Localization updates for German, Dutch, Czech, Russian, Spanish, Malay and Indonesian languages

#### Support for new cameras added:

- Hanwha ANE-L7012R, QNV-6082R, QNO-6082R, PNO-A9081RLP, XNO-6120R/RW, XNV-6012, XND-6081RV, XNV-8083R, QNO-C9083R, QNV-C9083R, XNP-C6403RW, QNP-6250R, XNP-6400R, XNO-6080R/RW, QNV-C6083R, XND-6083RV, XNF-8010RW, XNF-8010RV, XNF-8010RVM, XNF-8010RVW, XNB-6000, KNB-2000, KNO-2080RN, XNO-6080RA, XNO-6080RS, XNV-6011W, XNV-6080, XND-K6080N, KND-2080RN, XND-6080V, XND-6080, XNV-6080RS, KNB-5000N, KNO-5080RN, XNO-8080RW, KNO-2120RN, XNO-6120RS, XNV-6120, XNV-6120R, XNV-6120RS, LNO-6012R, LNV-6022R, LND-6032R, LNV-6072R, LNO-6022R, LND-6072R, LND-6022R, LNV-6032R, LNO-6032R, LND-6012R, LNO-6072R, QNO-8010R, QNO-8020R, QNO-8030R, QNV-8010R, QNV-8020R, QNV-8030R, QNV-8080R, QND-8010R, QND-8020R, QND-8030R, QND-8080R, QNE-8011R, QNE-8021R, QND-8011, QND-8021, QNO-6072R, QNO-6073R, QNO-6082R, QNO-6083R, QND-6072R, QND-6073R, QND-6082R, QND-6083R, QNV-6072R, QNV-6073R, QNV-6083R, QND-6012R, QND-6022R, QND-6032R, QNV-6012R, QNV-6022R, QNV-6032R, QND-6011, QND-6021, XNV-6012M, XNV-6013M, XNV-6022R, XNV-6022RM, XND-6081V, XNV-6081, XNV-6081R, XND-6081RF, XND-6081F, XNV-6081Z, XND-6081VZ, XND-6081FZ, QNO-6012R, QNO-6022R, XNP-6040H models
- BOS BS-IPT4704G3MZ+, BS-IPT4505G3MZ+, BS-IPT4506G3MZ+, BS-IPT4714G3+, BS-IPT4714LG3+, BS-IPT4515G3+, BS-IPT4515LG3+, BS-IPT3704G3MZ+, BS-

IPT3505G3MZ+, BS-IPT3504G3MZ+, BS-IPT3708G3MZ+, BS-IPT3714G3+, BS-IPT3714LG3+, BS-IPT3515G3+, BS-IPT3515LG3+ models

- i-PRO WV-S61702-Z3, WV-S15701-Z3L, WV-X67700-Z3L models
- Eneo INT-8SF0003M0A and IND-68M2713M0A models
- Speco O4P25X2 and O4TDD2M models
- Bosch NBE-5703-AL model

Fixes:

- Analytics Host Process crashes if built-in analytics are run on the CPU and the system has an NVIDIA card (NVIDIA driver packages starting from 555.85 are affected by this bug)
- Making new sequences in Client does not work correctly when using relative time range
- Fixed French localization strings where some variable placeholders were broken
- Playback controls are active but don't work in the modal window called via Client API
- Fixed language choice for i-PRO's Active Guard (at least Italian, Korean were affected)

\*The related functionality is only supported in CORTROL Global edition