

GANZ CORTROL 1.33.0 Release Notes

May 26, 2026

A new major version of CORTROL is available for download.

New features:

- Added an alarm escalation mechanism based on bookmarks
- Enabled copying of items in the Console application
- Added support for i-PRO Active Guard 3.0

Improvements:

- Updated control panels with new functionality and tile design
- Added anti-aliasing setting to the Client application
- Improved security of the updater mechanism*
- Added a time offset option when creating bookmarks
- Added an Audit event for low system disk space
- Enabled file-by-file replication by default for new installations*
- Extended tree menu search in the Console to include item features
- Security systems: users can now define custom button labels
- Updated Inner Range Integriti integration
- Improved Console UI: replaced New Item buttons with a New + drop-down menu
- Enabled channel pop-up from the keypad (without a dialog) in the Client application
- Client: Added an option to display the server name in every viewport
- Improved archive access audit for the Streaming Server
- Improved precision of VA metadata in the archive playback in Client
- Improved video export using the VP8 codec in terms of speed and disk space usage (updated the engine used for video export)
- Added display of connected server version in the Connections dialog in the Client application

- Client: instant playback is now shown in the popup window that is displayed for “Send event to client” and “Create confirmation bookmark” events
- Stability improvements for RTSP server
- Added possibility to reset bookmark severity colors to default in Console
- Improved importing shared layouts from the database (now they are imported with their associated channels)
- Improved support for i-PRO devices with FW 2.85+ (Randomnum parameter)
- Improved Uniview speaker UNV IPS302030-S integration

Support for new cameras added:

- i-PRO WV-U25501-F3L, WV-U25502-V3L, WV-U15501-V3L, WV-U22501-F3L, WV-U11501-V3, WV-U25301-F3L, WV-U25302-V3L, WV-U15301-V3L, WV-U22301-F3L, WV-U21301-V3L, WV-U11301-F3, WV-U11301-V3, WV-U25501-F3L, WV-U25302-V3L models
- Bosch FLEXIDOME IP micro 3000i model

New Web Client (Beta):

- Added bookmarks (add, view, search, modify)
- Added the Settings dialog with new settings and language choice
- Added support for large layouts in the Live view
- Added layout templates with non-equal viewport sizes
- Implemented Visual Groups for channels and user buttons
- Upgraded Resource sidebar UX (collapse, search)
- Added seek motion and “Go to motion” functions in Playback
- Improved PTZ controls (added PTZ presets, PTZ tours, point-to-click functionality, PTZ Autofocus button, fixed issues with recording servers)
- Implemented Drag & Drop for channels and layout templates (from the Resources sidebar to the viewports, between viewports in both Live & Playback)
- Improved compatibility of Web client for Android tablets, the top bar is now fully visible in mobile browsers like Chrome and Brave

- Added toggling full screen
- Added tooltips
- Added logo to the web client welcome screen
- Improved handling of channels with big GOP interval
- Improved playback timeline behavior
- Multiple bugfixes and internal improvements

Fixes:

- Fixed default input focus in Console interface
- Fixed 'Error loading type library/DLL' in Portable Player when enabling DPTZ in the fisheye camera archive
- Fixed incomplete video export in Client application when archive contains frames with <1 ms intervals
- Fixed scenario when the "Disconnect if the password expires" security policy does not respect the "Password never expires" user setting, causing continuous user disconnections
- Fixed situation when the "Maximum number of simultaneous connections with the same login name" limit is set, and then upon reaching it, user can see multiple identical user sessions in the monitoring section of Console

*The related functionality is only supported in CORTROL Global.

Note: Due to a new Code Signing certificate, Microsoft Smart Screen may produce a warning when launching the application for the first time.